Sl No.	Items of work	Unit	Quantity
c	Ridge tiles set in mortar and cement pointed ...	R.ft.	28
d	Teakwood work with wood oiling 2 coats	C.ft.	37 46
5	Steel work fixed complete	Cwt.	3·79
6a	Teakwood doors panelled, $\frac{1}{2}$" shutters with fixtures, etc., complete	S.ft.	74
b	Teakwood windows with glazed shutters $1\frac{1}{4}$" thick and iron bars, etc., complete.	,,	87·5
c	Teakwood rectangular ventilators with glazed shutters, etc. ...	,,	·14
d	Teakwood eve board plain 8" x $\frac{3}{4}$" fixed complete	R.ft.	55
7	Chocolate painting 2 coats	Sqr.	3·90
8	Wire gauze shutters fixed complete as per design	S.ft.	63
9	Rain water down pipe 3" dia. fixed complete	R.ft.	10

C. M. CARIAPA,
Chief Electrical Engineer.

KOLAR DIVISION.

Abstract Notification, dated 17th April 1933.

The attention of the public is invited to the advertisement published in page 464, of Part VI of the *Mysore Gazette*, dated 27th April 1933, calling for tenders for the work of restoring Alagurki Chikkamanakere, Registered No. 110 of Sidlaghatta Taluk.

The last date fixed for receipt of tender in this office is *15th May* 1933 *up to* 2 *p.m.*

C. T. NARASIMHA IYENGAR,
Executive Engineer.

MYSORE DIVISION.

Notification dated 21st April 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 1 P.M., on 22nd May 1933, for restoring Khayamgutta Hadaghatta Oorumundinkere Minor Tank, Registered No. 22 of Mandya Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1935:—

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two hundred in cash or Government Promissory Notes, as earnest money, and be superscribed " Tender for Restoring Khayamgutta Hadaghatta Minor Tank, Registered No. 22, Mandya Taluk " in default of which the tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender. In all cases of disputes, the decision of the Executive Engineer will be final and legally binding.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate of Restoring the Khayamgutta Hadaghatta Oorumundinakere Minor Tank Registered No. 22 of Mandya Taluk.

Sl. No.	Items of work	Per	Quantity
	I. Bund. R. L. 54·00.		
1	Jungle clearing	L. S.	...
2	Cutting grips to bund	grade	·26
3	Earth work to bund including consolidation	C.yd.	3,260
4	Removing and resetting old stone work with new jelly ...	L. S.	...
5	New stone revetment	C.yd.	556
6	Turfing the slopes of bund	Sqr.	370-72
7	Providing and fixing new grade stones with bed slabs including cutting figures and painting.	Each	26
8	Providing and fixing top width stones	„	26
9	Do B. M. stones	„	2
10	Do Registered No. stone and date stone including cutting of figures and painting.	„	2
11	Do gauge stones including cutting figures and painting.	„	1
	II. Sluice—Cill level 44·00.		
1	Earthwork-cutting	C.yd.	120
2	Earthwork filling including watering and tamping ...	„	120
3	Stone jelly concrete in surki mortar	C.ft.	170
4	Burnt brick in surki mortar	„	642
5	Burnt stone slabs 6" thick dressed and fixed	S.ft.	76
6	Plastering with surki mortar	Sqr.	2·00
7	Cutting holes in slabs	Each	4
8	Cast iron pipe 6" dia. 12 feet long including all charges and fixing.	R.ft.	24
9	Providing locking arrangement with teakwood plugs, iron rod, lock, etc.	L. S.	...
10	Rough stone work old (removing and resetting with new jelly).	C.yd.	10
11	Rough stone work new	„	11
	III. Right Waste Weir—130' *long at* 50·00.		
1	Earthwork excavating foundations	„	216
2	Stone jelly concrete in surki mortar	C.ft.	450
3	Burnt brick in surki mortar	„	1,327
4	Plastering with surki mortar	Sqr.	20·66
5	Rough stone work new	C.yd.	119
6	Resetting old stones with new jelly backing and wedging ...	„	53
	IV. Left Waste Weir—40' *long at* 50·00.		
1	Earth work excavating foundation	„	40
2	Stone Jelly concrete in surki mortar	C.ft.	180
3	Burnt brick in surki mortar	„	604
4	Plastering with surki mortar	Sqr.	9·35
5	Rough stone work new with jelly backing and wedging ..	C.yd.	61
6	Removing and resetting the old stones with new jelly ...	„	86

Notification dated 28th April 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 1 P.M., on 22nd May 1933, for Restoring Bendarawadi Doddakere minor tank, Regd. No. 6, Malavalli Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1935.—

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms, which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 220 in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for Restoring Bendarawadi Doddakere minor tank, Regd. No. 6, Malavalli Taluk" in default of which, tenders will be rejected.

5. The final acceptance of any tender, will rest with Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer, will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rates will not be accepted.

Abstract estimate for restoring Bendarawadi Doddakere minor tank, Regd. No. 6 of Malavalli Taluk.

No.	Items of work	Unit	Quantity
	BUND 53·00.		
1	Clearing jungle	Grade	28
2	Cutting grips to bund	,,	28
3	Earthwork including consolidation with water and tamping.	C.yd.	3,638
3a	Excavated earth from draft clearing used for bund for conveying charge.	,,	667
4	Turfing	Sqr.	444·91
5	Dismantling and resetting old stone work including new jelly packing, etc., complete.	C.yd.	630
6	New stone work including jelly packing, etc., complete ...	,,	668
7	Providing and fixing new grade stones including cutting figures and painting, etc., complete.	Each	28
8	Providing and fixing Index stones	,,	28
9	Providing and fixing date and register No. stone including cutting figures and painting.	No.	1
10	Providing gauge stone including cutting figures and painting, etc., complete.	,,	1
11	Providing and fixing Bench mark stones including cutting figures and painting.	,,	2

No.	Items of work	Unit	Quantity
	SLUICE AT R. L. 43·50.		
1	Cutting open bund and refilling the same including watering and consolidation.	C.yd.	84
2	Stone jelly concrete in surki mortar	C.ft.	115
3	Burnt brick in surki mortar	„	261
4	Burnt stone slabs 6" thick, dressed and fixed ...	S.ft.	96
5	Plastering with surki mortar	Sqr.	2·44
6	Surki mortar pointing joints of slabs ...	„	0·56
7	Cutting holes in slabs ...	Each	5
8	Providing plug and rod including locking arrangement ...	Lump sum	
9	New stone revetment ...	C.yd.	21
10	Rough pointing with surki mortar for revetment ...	Sqr.	6·00
11	Providing and fixing C. I. pipes 6" dia. including joints, etc., complete from Bhadravati.	R.ft.	36
	WASTE WEIR—80 FEET LONG AT R. L. 50·00.		
1	Earthwork excavating and using the same for bund including watering and consolidation.	C.yd.	44
2	Stone jelly concrete in surki mortar	C.ft.	180
3	Burnt brick in surki mortar	„	385
4	Rough plastering with surki mortar	Sqr.	3·46
5	Plastering with surki mortar	„	3·27
6	Do cement mortar ½" thick	„	0·90
7	New stone work	C.yd.	19
8	Pointing with surki mortar	Sqr.	1·08
9	Reconstructing old stone work	C.yd.	30
10	Approach and draft clearing as per details used for bund ...	„	667

K. NARAYANA IYENGAR,
Executive Engineer

SHIMOGA DIVISION.

Abstract Notification.

Attention of public is hereby invited to the advertisement Page Nos. 465 to 467 of Part VI of the *Mysore Gazette*, dated 27th April 1933 calling for tenders for the construction of the superstructure of Administrative Block of Mc. Gann Hospital at Shimoga.

The last date for tender is 22nd May 1933.

G. SESHAGIRI RAO,
Executive Engineer.

OFFICE OF THE CHIEF CONSERVATOR OF FORESTS IN MYSORE, BANGALORE.

Erratum to Notification No. E. 330-1210-32, *dated* 31*st March* 1933 *published on pages* 397 *to* 400 *of Part VI of the Mysore Gazette, dated* 13*th April* 1933.

Insert the word "of" between the words "Commissioners" and "Senior" and the words "by them" between the words "deputed" and "for" occurring in lines 5 and 6 of para 1 of the Notification.

Insert asterisks (*) after the word "asterisk" in line 1 of N.B. (a) below para 1 referred to above and after "Hosdurga" occurring under "Chitaldrug District" under the same para.

Read "The sales of the several Districts below" appearing in lines 2 and 3 of N.B. (2) under the above para, as a separate sub-para.

Omit the asterisk (*) occurring after "Remarks.—" under sub-para 2 of para 1 of the Notification.

Add as follows "The deposits of the unsuccessful bidders will be returned immediately after the sale" at the end of para 5.

Insert "a" between the words "Execute" and "separate" occurring in line 2 of para 9.

B. V. RAMAIENGAR,
Chief Conservator of Forests.